

References

- [1] G. Kotelly, "Fiber's bandwidth outpaces users' needs," *Lightwave*, vol. 14, pp. 4, February 1997
- [2] S. Yamamoto, "Undersea lightwave systems," *OFC'96*, Tutorial TuK, pp. 37-70, 1996.
- [3] D. L. Guen, F. Favre, M. L. Mouliard, M. Henry, G. Michaud, L. Macé, F. Devaux, B. Charbonnier and T. Georges, "2000 Gbit/s 100 km-span soliton WDM transmission over 1000 km of standard fiber with dispersion compensation and pre-chirping," *Proceed. OFC'97*, post-deadline paper PD17-1, 1997.
- [4] R. Mears, L. Reekie, I. Jauncey and D. Payne, "Low noise erbium-doped fibre amplifier operating at 1,54 μm ," *Electron. Lett.*, vol. 23, pp. 1026-1027, 1987.
- [5] M. Artiglia, "Upgrading installed systems to multigigabit bit-rates by means of dispersion compensation," *22nd Proceed. ECOC'96*, MoB.4.1, pp. 1.75-1.82, 1996.
- [6] R. Tkach, "Dispersion compensation in nonlinear systems," *OFC'96*, Tutorial WO, pp. 131-161, 1996.
- [7] D. Garthe, R. A. Saunders, W. S. Lee and A. Hadjifotiou, "Simultaneous transmission of eight 40 Gbit/s channels over standard single mode fiber," *Proceed. OFC'96*, post-deadline paper PD20-1, 1997.
- [8] C. D. Poole and C. R. Giles, "Polarization-dependent pulse compression and broadening due to polarization dispersion in dispersion-shifted fiber," *Opt. Lett.*, vol. 13, pp. 155-157, 1988.
- [9] C. D. Poole, R. W. Tkach, A. R. Chraplyvy and D. A. Fishman, "Fading in Lightwave systems due to polarization-mode dispersion," *Photon. Technol. Lett.*, vol. 3, pp. 68-70, 1991.
- [10] C. D. Poole and T. E. Darcie, "Distortion related to polarization-mode dispersion in analog lightwave systems," *J. Lightwave Technol.*, vol. 11, pp. 1749-1759, 1993.
- [11] C. D. Poole, J. H. Winters and J. A. Nagel, "Dynamical equation for polarization dispersion," *Opt. Lett.*, vol. 16, pp. 372-374, 1991.
- [12] J. L. Lang, J. F. Libert, D. I. Curtis and P. Worthington, "Optical performance of submarine cables in optically amplified high bit rate systems," *Int. Wire & Cable Symposium Proceed.*, pp. 183-191, 1995.
- [13] H. A. Clifford, H. R. Garner and W. K. Lee, "Method of drawing an optical fibre and fibre produced thereby," *European Patent EP 0 582 405 A1*, Feb. 1994.

- [14] A. Galtarossa, G. Gianello, C. G. Someda and M. Schiano, "In-field comparison among polarization-mode -dispersion measurement techniques," *J. Lightwave Technol.*, vol. 14, pp. 42-49, 1996.
- [15] R. E. Schuh and A. S. Siddiqui, "Measurement of SOP evolution along a linear birefringent fibre with twist using polarisation OTDR," *NIST/IEEE/OSA Symposium on Optical Fibre Measurements*, Boulder, USA, pp. 159-162, 1996.
- [16] A. J. Rogers, "Polarization optical time domain reflectometry: a technique for the measurement of field distributions," *Electron. Lett.*, vol. 16, pp. 489-490, 1980.
- [17] M. K. Barnoski and S. M. Jensen, "Fiber waveguides: a novel technique for investigating attenuation characteristics", *Appl. Opt.*, vol. 15, pp. 2112-2115, 1976.
- [18] A. Galtarossa and M. Schiano, "Complete characterisation of polarisation mode dispersion in erbium doped optical amplifiers," *Electron. Lett.*, vol. 28, pp. 2143-2144, 1992.
- [19] D. J. Malyon, T. Widdowson and A. Lord, "Assessment of the polarisation loss dependence of transoceanic systems using a recirculating loop," *Electron. Lett.*, vol. 29, pp. 207-208, 1993.
- [20] M. G. Taylor, "Observation of new polarisation dependence effect in long haul optically amplified systems," *Proc. OFC'94*, post-deadline paper PD-5, pp. 25-28, 1993.
- [21] E. Lichtman, "Limitations imposed by polarization-dependent gain and loss on all-optical ultralong communication systems," *J. Lightwave Technol.*, vol. 13, pp. 906-913, 1995.
- [22] F. Heismann, "Compact electro-optic polarization scramblers for optically amplified lightwave systems," *J. Lightwave Technol.*, vol. 14, pp. 1801-1814, 1996.
- [23] V. Letellier, G. Bassier, P. Marmier, R. Morin, R. Uhel and J. Artur, "Polarisation scrambling in 5 Gbit/s 8100 km EDFA based systems," *Electron. Lett.*, vol. 30, 1994.
- [24] K. Böhm, P. Marten, P. Petermann, E. Weidel and R. Ulrich, "Low-drift fibre gyro using a superluminescent diode," *Electron. Lett.*, vol. 17, pp. 352-353, 1981.
- [25] A. H. Ross, Z. B. Ren and G. W. Day, "Twisting and annealing optical fiber for current sensors," *J. Lightwave Technol.*, vol. 14, No. 11, pp. 2492-2497, 1996.
- [26] M. Born and E. Wolf, "Principles of Optics," Chapter 1 & 10, 5th edition Pergamon Press, New York, 1975.
- [27] L. R. Steinhardt, "The cathode-ray oscillograph as a means of demonstrating elliptically polarized light," *J. Opt. Soc. Am.*, vol. 30, 226-228, 1940.

- [28] D. S. Kliger, J. W. Lewis and C. E. Randall, "Polarized light in optics and spectroscopy," *Academic Press*, Harcourt Brace Jovanovich, Publishers, New York, 1990.
- [29] R. C. Jones, "A new calculus for the treatment of optical systems," I to VIII, *J. Opt. Soc. Am.*, vol. 31-46, 1941-1956
- [30] From Reference [29] H. Mueller "Memorandum on the polarization optics of the photo-elastic shutter," *Report No 2 of OSRD*, project OEMsr-567, November 15, 1943. A declassified report
- [31] H. Mueller, "The foundation of optics," *J. Opt. Soc. Am.*, vol. 38, pp. 661, 1948.
- [32] W. A. Shurcliff, " Polarized light," *Harvard University Press*, Cambridge, Massachusetts, 1962.
- [33] R. C. Jones, "A new calculus for the treatment of optical systems," I, *J. Opt. Soc. Am.*, vol. 37, pp. 488-493, 1941
- [34] R. C. Jones, "A new calculus for the treatment of optical systems," V, *J. Opt. Soc. Am.*, vol. 38, pp. 671-685, 1948
- [35] R. C. Jones, "A new calculus for the treatment of optical systems," V, *J. Opt. Soc. Am.*, vol. 37, pp. 107-110, 1947
- [36] J. I. Sakai and T. Kimura, "Birefringence and polarization characteristic of single-mode optical fibers under elastic deformations," *J. Quantum Electron.*, vol. QE-17, pp. 1041-1051, 1981.
- [37] R. Ulrich and A. Simon, "Polarisation optics of twisted single-mode fibers," *Appl. Opt.* vol. 19, pp. 2606-2661, 1980.
- [38] R. Ulrich, "Representation of codirectional coupled waves," *Opt. Lett.*, vol. 1, pp. 109-111, 1977.
- [39] M. Johnson, "Poincaré sphere representation of birefringent networks," *App. Opt.*, vol. 20, pp. 2075-2080, 1981.
- [40] N. J. Frigo, "A generalized geometrical representation of coupled mode theory," *IEEE J. Quantum Electron.*, vol. QE-22, pp. 2131-2140, 1986.
- [41] R. M. A. Azzam and N. M. Bashara, "The effect of an optical system in the complex-plane and the Poincaré-sphere representations," *Optics Com.*, vol. 5, pp. 319-322, 1972.
- [42] M. O. Deventer, "Preservation of polarisation orthogonality of counterpropagating waves through dichroic birefringent optical media proof and application," *Electron. Lett.* vol. 27, pp. 1538-1540, 1991.
- [43] M. O. Deventer, " Polarization properties of Rayleigh backscattering in single-mode fibers," *J. Lightwave Technol.*, vol. 11, pp. 1895-1899, 1993.

- [44] M. O. van Deventer, "Full duplex coherent optical communication with one in-line polarisation controller," *Electron. Lett.*, vol. 26, pp. 758-759, 1990.
- [45] H. C. van de Hulst, "Light scattering by small particles," Chapter 4-6, *Dover publications*, New York, 1957.
- [46] D. M. Spirit and M. J. O'Mahony, "High capacity optical transmission explained," *BT Wiley Series UK*, Chapter 2 to 4 & 7, 1995.
- [47] I. L. Fabelinskii, "Molecular scattering of light," Chapter 1, *Plenum Press*, New York, 1968.
- [48] J. Schroeder, R. Mohr, P. B. Macedo and C. J. Montrose, "Rayleigh and Brillouin scattering in K_2O-SiO_2 glasses", *J. Am. Ceramic Soc.*, vol. 56, pp. 511-514, 1973.
- [49] D. A. Pinnow, T. C. Rich, F. W. Ostermayer, Jr., M. DiDomenico, and Jr., "Fundamental optical attenuation limits in the liquid and glassy state with application to fibre optical waveguide materials," *Appl. Phys. Lett.*, vol. 22, pp 527-529, 1973.
- [50] K. Shiraki and M. Ohashi, "Scattering property of fluorine-doped silica glasses," *Electron. Lett.*, vol. 28, pp. 1565-1575, 1992.
- [51] M. Nakazawa, "Rayleigh backscattering theory for single-mode optical fibers", *J. Opt. Soc. Am.*, vol. 73, pp 1175-1180, 1983.
- [52] M. I. Mishchenko, J. W. Hovenier, "Depolarization of light backscattered by randomly oriented nonspherical particles," *Opt. Lett.* vol. 20, pp. 1356-1358, 1995.
- [53] A. Yariv, "Optical Electronics," 4th edition, *Saunders College pub.*, Chapter 1, 1991
- [54] D. Marcuse, "Theory of dielectric optical waveguides," *Academic Press*, Inc. New York, 1974.
- [55] D. Gloge, "Weakly guiding fibers, " *Appl. Opt.*, vol. 10, pp. 2252-2258, 1971.
- [56] A. W. Snyder, "Understanding monomode optical fibers," *Proceed. of the IEEE*, vol. 69, pp. 6-13, 1981.
- [57] A. Ankiewicz and G. D. Peng, "Generalized Gaussian approximation for single-mode fibers," *J. Lightwave Technol.*, vol. 10, pp. 22-27, 1991
- [58] D. Marcuse, "Excitation of the dominant mode of a round fiber by a Gaussian beam," *Bell Systems Technol. J.*, pp. 1695-1703, 1970.
- [59] D. Marcuse, "Loss analysis of single-mode fiber splices," *Bell Systems Technol. J.*, vol. 56, pp. 703-719, 1977.
- [60] I. H. Maletson, "Interspecimen comparison of the refractive index of fused silica," *J Opt. Soc. Am.*, vol. 55, pp. 1205-1209, 1965.
- [61] J. W. Fleming, "Material dispersion in lightguide glasses," *Electron. Lett.*, vol. 14, pp. 326-328, 1978.

- [62] R. B. Wu, "Explicit birefringence analysis for anisotropic fibers," *J. Lightwave Technol.*, vol. 10, pp. 6-11, 1992.
- [63] M. A. Saifi, S. J. Tang, L. H. Cohen and J. Stone, "Triangular-profile single-mode fiber," *Opt. Lett.*, vol. 7, pp. 43-45, 1982.
- [64] L. G. Cohen, W. L. Mammel and S. J. Jang, "Ultrabroadband single mode fibers", *OFC'83*, MF 4, pp. 10-11, 1983.
- [65] L. G. Cohen, C. Lin and W. G. French, "Tailoring zero chromatic dispersion into the 1.5-1.6 μm low-loss spectral region of single mode fibres," *Electron. Lett.*, vol. 15, pp. 334-335, 1979.
- [66] H. Murata, "Handbook of optical fibers and cables," *Marcel Dekker, Inc.*, New York, Chapter 2, 1988.
- [67] T. D. Craft and J. E. Ritter, "Low-loss dispersion shifted single-mode fiber manufactured by the OVD process," *OFC'85*, WD2, pp. 94-95, 1985.
- [68] D. Marcuse, "Low dispersion single-mode fiber transmission. The question of practical versus theoretical maximum transmission bandwidth," *IEEE Journal Quantum Electron.*, vol. QE-17, pp. 869-878, 1981.
- [69] R. I. Laming, N. Robinson, P. L. Scrivener, S. Barcelos, L. Reekie, J. A. Tucknott and M. N. Zervas, "A dispersion tuneable grating in a 10 Gbit/s 100-220 km step index fibre link," *Proc. 21st ECOC'95*, We.B.1, pp. 585-588, 1995.
- [70] K. W. Quoi, L. G. Cohen, W. A. Reed and D. S. Shenk, "Screening dispersion-shifted-fibers for polarisation mode dispersion due to core ellipticity," *J. Lightwave Technol.*, vol. 8, pp. 1684-1687, 1990.
- [71] V. Ramaswamy, W. G. French and R. D. Standley, "Polarization characteristics of noncircular core single-mode fibers," *Appl. Opt.*, vol. 17, pp. 3014-3017, 1978.
- [72] R. D. Birch, D. N. Payne and M. P. Varnham, "Fabrication of polarisation-maintaining fibres using gas-phase etching," *Electron. Lett.*, vol. 18, pp. 1036-1038, 1982.
- [73] M. P. Varnham, D. N. Payne, R. D. Birch and E. J. Tarbox, "Single-polarisation operation of highly birefringent bow-tie optical fibres," *Electron. Lett.*, vol. 19, pp. 246-247, 1983.
- [74] L. Jeunhomme and M. Monerie, "Polarisation-maintaining single-mode fibre cable design," *Electron. Lett.*, vol. 16, pp. 921-922, 1980.
- [75] T. Okoshi, "Single-polarisation single-mode optical fibers," *J. Quantum Electron.*, vol. QE-17, pp. 879-884, 1981.
- [76] A. J. Barlow and D. N. Payne, "Polarisation maintenance in circularly birefringent fibres," *Electron. Lett.*, vol. 17, pp. 388-389, 1981.

- [77] K. Okamoto, T. Hosaka and Y. Sasaki, "Linearly single polarization fibers with zero polarisation mode dispersion," *J. Quantum Electron.*, vol. QE-18, pp. 496-503, 1982.
- [78] S. C. Rashleigh, "Origins and control of polarization effects in single-mode fibers," *J. Lightwave Technol.*, vol. LT-1, pp. 312-331, 1983.
- [79] R. E. Schuh, E. S. R. Sikora, N. G. Walker, A. S. Siddiqui, L.M. Gleeson, D. H. O. Bebbington, "Theoretical analysis and measurement of the effects of fibre twist on the differential group delay of optical fibres," *Electron. Lett.* vol. 31, pp 1772-1773, 1995.
- [80] I. P. Kaminow, "Polarization in optical fibers," *J. Quantum Electron.*, vol. QE-17, pp. 15-22, 1981.
- [81] A. M. Vengsarkar, A. H. Moesle, L. G. Cohen and W. L. Mammel, "Polarization mode dispersion in dispersion-shifted fibers: an exact analysis," *Opt. Lett.*, vol. 18, pp. 1412-1414, 1993.
- [82] V. P. Tzolov and M. Fontaine, "Theoretical analysis of birefringence and form-induced polarization mode dispersion in birefringent optical fibers: A full-vectorial approach," *J. Appl. Phys.*, vol. 77, pp. 1-6, 1995.
- [83] D. R. Lide and H. P. R. Frederikse, "CRC handbook of chemistry and physics," *CRC Press*, 75th edition, London, 1994.
- [84] A. J. Barlow and D. N. Payne, "The stress-optic effect in optical fibres," *IEEE J. Quantum Electron.*, vol. QE-19, pp. 834-839, 1983.
- [85] N. K. Sinha, "Normalised dispersion of birefringence of quartz and stress optical coefficient of fused silica and plate glass," *Phys. Chem. of Glasses*, vol. 19, pp. 69-77, 1978.
- [86] D. L. Williams: Private communication, *BT Labs. Ipswich*, UK, 1997
- [87] D. Marcuse, "Theory of dielectric optical waveguides," Chapter 4, *Academic Press*, New York, pp. 157-159, 1974.
- [88] D. Q. Chowdhury and D. A. Nolan, "Perturbation model for computing optical fiber birefringence from a two dimensional refractive-index profile," *J. Opt. Soc. Am.*, vol. 20, pp. 1973-1975, 1995.
- [89] Q. Y. Li, "Propagation characteristics of single-mode optical fibers with arbitrary refractive-index profile: The finite quadratic element approach," *J. Lightwave Technol.*, vol. 9, pp. 22-26, 1991.
- [90] J. D. Love, R. A. Sammut and A. W. Snyder, "Birefringence in elliptically deformed optical fibres", *Electron. Lett.*, vol. 15, pp. 615-616, 1979.
- [91] R. A. Sammut, "Birefringence in slightly elliptical optical fibres," *Electron. Lett.*, vol. 16, pp. 728-729, 1980.

- [92] R. A. Sammut, C. D. Hussey, J. D. Love and A. W. Snyder, “Modal analysis of polarisation effects in weakly-guiding fibres,” *IEE Proceed.*, vol. 128, pp. 173-187, 1981.
- [93] A. M. Vengsarkar, L. G. Cohen and W. L. Mammel, “Theoretical analysis of highly elliptical-core optical fibers with arbitrary refractive-index profiles,” *Opt. Lett.*, vol. 17, pp. 1658-1660, 1992.
- [94] I. P. Kaminow and V. Ramaswamy, “Single-polarisation optical fibers: Slab model,” *Appl. Phys. Lett.* vol. 34, pp. 268-270, 1979.
- [95] N. Shibata, M. Tateda and S. Seika, “Polarization mode dispersion measurement in elliptical core single-mode fibers by a spatial technique,” *J. Quantum Electron.*, vol. QE-18, pp. 53-58, 1982.
- [96] S. C. Rashleigh and R. Ulrich, “High birefringence in tension-coiled single-mode fibers,” *Opt. Lett.*, vol. 5, pp. 354-356, 1980.
- [97] M. C. de Lignie, H. G. J. Nagel and M. O. van Deventer, “Large polarization mode dispersion in fiber optic cables,” *J. Lightwave Technol.*, vol. 12, pp. 1325-1329, 1994.
- [98] W. Eickhoff, “Stress-induced single-polarization single-mode fiber,” *Opt. Lett.*, vol. 7, pp. 629-631, 1982.
- [99] J. I. Sakai and T. Kimura, “Birefringence caused by thermal stress in elliptically deformed core optical fibers,” *J. Quantum Electron.*, vol. QE-18, pp. 1899-1909, 1982.
- [100] S. R. Sikora: Private communication, *BT Labs. Ipswich*, UK, 1997.
- [101] S. C. Rashleigh and M. J. Marrone, “Temperature dependence of stress birefringence in an elliptically clad fibre,” *Opt. Lett.*, vol. 8, pp. 127-129, 1983.
- [102] H. Schneider, H. Harms, A. Papp and H. Aulich, “Low-birefringence single-mode optical fibers: preparation and polarization characteristics,” *Appl. Opt.*, vol. 17, pp. 3035-3037, 1978.
- [103] S. R. Norman, D. N. Payne and M. J. Adams, “Fabrication of single-mode fibres exhibiting extremely low polarisation birefringence,” *Electron. Lett.*, vol. 15, pp. 309-311, 1979.
- [104] T. Izawa and S. Sudo, “Optical fibers: materials and fabrication,” *KTK Scientific Publishers*, Tokyo, Chapter 2, 1987.
- [105] A. Bertholds and R. Dändliker, “Determination of the individual strain-optic coefficients in single-mode optical fibres,” *J. Lightwave Technol.*, vol. 6, pp. 17-20, 1988.

- [106] A. J. Barlow, J. J. Ramskov-Hansen and D. N. Payne, "Birefringence and polarization mode-dispersion in spun single-mode fibers," *Appl. Opt.*, vol. 20, pp. 2962-2968, 1981.
- [107] N. S. Bergano and K. S. Kim, "Method for fabricating a fiber optic cable having improved polarization mode dispersion (PMD) performance," *European patent application EP 0 646 819 A1*, 1995.
- [108] J. I. Sakai, M. Matsuura and T. Kimura, "Polarization dispersion measurement on twisted single-mode optical fibres," *J. Lightwave Technol.*, vol. LT-1, pp. 567-571, 1983.
- [109] W. Eickhoff, Y. Yen and R. Ulrich, "Wavelength dependence of birefringence in single-mode fiber," *Appl. Opt.*, vol. 20, pp. 3428-3435, 1981.
- [110] A. J. Barlow, D. N. Payne, M. R. Hadley, R. J. Mansfield, "Production of single-mode fibres with negligible intrinsic birefringence and polarisation mode dispersion," *Electron. Lett.*, vol. 17, pp. 725-726, 1981.
- [111] A. Ashkin, J. M. Dziedzic and ~R. H. Stolen, "Outer diameter measurement of low birefringence optical fibers by a new resonant backscatter technique," *Appl. Opt.*, vol. 20, 2299-2303, 1981.
- [112] J. E. Townsend, S. B. Poole, D. N. Payne, "Solution-doping technique for fabrication of rare-earth-doped optical fibres," *Electron. Lett.*, vol. 23, pp. 329-331, 1987.
- [113] A. Altuncu and A. S. Siddiqui et al, "40 Gbit/s error free transmission over a 68 km distributed erbium doped fibre amplifier," *Electron. Lett.*, vol. 32, pp. 233-234, 1996.
- [114] L. F. Mollenauer, K. Smith, J. P. Gordon and C. R. Menyuk, "Resistance of solitons to the effects of polarization dispersion in optical fibers," *Opt. Lett.*, vol. 14, pp. 1219-1221, 1989.
- [115] S. G. Evangelides, L. F. Mollenauer, J. P. Gordon and N. S. Bergano, "Polarization multiplexing with solitons," *J. Lightwave Technol.*, vol. 10, pp. 28-35, 1992.
- [116] L. F. Mollenauer and J. P. Gordon, "Birefringence-mediated timing jitter in soliton transmission," *Opt. Lett.*, vol. 19, pp. 375-377, 1994.
- [117] R. E. Schuh, A. Altuncu, X. Shan, A. S. Siddiqui, "Polarisation mode dispersion in distributed erbium doped fibres for ultrahigh bit rate long haul soliton transmission," *First International Conference on polarisation effects in laser and spectroscopy*, Toronto, Canada, 26-28 May 1997.
- [118] R. E. Schuh, A. Altuncu, X. Shan, A. S. Siddiqui, "Measurement and theoretical modelling of polarisation mode dispersion in distributed erbium doped fibres," *ECOC'97*, We3, Edinburgh, UK, 1997.

- [119] F. Matera and M. Settembre, "Compensation of polarization mode dispersion by means of the Kerr effect for nonreturn-to-zero signals," *Opt. Lett.*, vol. 20, pp. 28-30, 1995.
- [120] R. Ulrich and S. C. Rashleigh, "Polarization coupling in kinked single-mode fiber," *IEEE J. Quantum Electron.*, vol. 18, pp. 2032-2039, 1982.
- [121] C. D. Poole and R. W. Wagner, "Phenomenological approach to polarization dispersion in long single-mode fibers," *Electron. Lett.*, vol. 22, pp. 1029-1030, 1986.
- [122] F. Bruyere, J. J. Bernard, J. Guillon, J. P. Lovergne and P. Chabe, "Polarization dispersion in a 1000 km Er-doped fiber amplified link," *Proc. 18th ECOC'92*, Mo.A2.5, pp 61-64, 1992.
- [123] K. Suzuki, N. Shibata and Y. Ishida, "Polarisation-mode dispersion as a bandwidth-limiting factor in a long-haul single-mode optical transmission system," *Electron. Lett.*, vol. 19, pp. 689-691. 1983.
- [124] N. Gisin, R. Passy and J. P. Von der Weid, "Definition and measurement of polarization mode dispersion: interferometric versus fixed analyzer methods," *Photon. Technol. Lett.*, vol. 6, pp. 730-732, 1994.
- [125] B. L. Heffner, "Influence of optical source characteristics on the measurement of polarization-mode dispersion of highly mode-coupled fibers," *Opt. Lett.*, vol. 21, pp. 113-115, 1996.
- [126] C. D. Poole, N. S. Bergano, R. E. Wagner and H. J. Schulte, "Polarisation dispersion and principal states in a 147-km undersea lightwave cable," *J. Lightwave Technol.*, vol. 6, pp. 1185-1190, 1988.
- [127] G. J. Foschini and C. D. Poole, "Statistical theory of polarisation dispersion in single mode fibres," *J. Lightwave Technol.*, vol. 9, pp. 1439-1456, 1991.
- [128] M. Tsubokawa and M. Ohashi, "A consideration of polarisation dispersion determining from a Stokes parameter evaluation," *J. Lightwave Technol.*, vol. 9, pp. 948-951, 1991.
- [129] C. D. Poole and D. L. Favin, "Polarization-mode dispersion measurements based on transmission spectra through a polarizer," *J. Lightwave Technol.*, vol. 12, pp. 917-929, 1994.
- [130] F. Curti, B. Daino, G. D. Marchis and F. Matera, "Statistical treatment of the evolution of the principal states of polarisation in single-mode fibers," *J. Lightwave Technology*, vol. 8, No. 8, pp. 1162-1165, 1990.
- [131] N. Gisin, J. P. Von der Weid and J. P. Pellaux, "Polarisation mode dispersion of short and long single-mode fibers", *J. Lightwave Technol.*, vol. 9, pp. 821-827, 1991.

- [132] B. Perny, C. Zimmer, F. Prieto and N. Gisin, "Polarisation mode dispersion: Large scale comparison of Jones matrix eigenanalysis against interferometric measurement techniques," *Electron. Lett.*, vol. 32, pp. 680-681, 1996.
- [133] Y. Namihira and K. Nakajima, "Comparison of various polarisation mode dispersion measurement methods in 1600 km EDFA system," *Electron. Lett.*, vol. 30, pp. 1157-1159, 1994.
- [134] Y. Namihira and ITU-T PMD Round Robin Group, "First report of ITU-T PMD round robin measurements for optical fibers and component," , *NIST/IEEE/OSA Symposium. on Optical Fibre Measurements*, Boulder, USA, pp. 151-154, 1996.
- [135] N. Gisin and J. P. Pellaux, "Polarisation mode dispersion: time versus frequency domains," *J. Opt. Comm.*, vol. 89, pp. 316-323, 1992.
- [136] R. C. Jones, "A new calculus for the treatment of optical systems," VI experimental determination of the matrix, *J. Opt. Soc. Am.*, vol. 37, pp. 110-112, 1947
- [137] B. L. Heffner, "Automated measurement of polarization mode dispersion using Jones matrix eigenanalysis," *Photon. Technol. Lett.*, vol. 4, pp. 1066-1069, 1992.
- [138] B. L. Heffner, "Attosecond measurement of polarization mode dispersion using Jones matrix eigenanalysis," *Opt. Lett.*, vol. 18, pp. 2102-2104, 1993.
- [139] F. Bruyère, "Impact of first- and second-order PMD in optical digital transmission systems," *Opt. Fiber Technol.*, vol. 2, pp. 269-280, 1996.
- [140] L. M. Gleeson, E. S. R. Sikora and M. J. O'Mahony, "Experimental and numerical investigation into the penalties induced by second order polarisation mode dispersion at 10 Gb/s," Accepted by *ECOC'97*.
- [141] W. K. Burns, R. P. Moeller and C. L. Chen, "Depolarization in a single-mode optical fibre," *J. Lightwave. Technol.*, vol. LT-1, pp. 44-49, 1983.
- [142] T. Imai and T. Matsumoto, "Polarization fluctuation in optical fibers based on probability," *Opt. Lett.*, vol. 12, pp 723-725, 1987.
- [143] C. D. Poole, N. S. Bergano, H. J. Schulte, R. E. Wagner, V. P. Nathu, J. M. Amon, R. L. Rosenberg, "Polarisation fluctuations in a 147 km undersea lightwave cable during installation," *Electron. Lett.*, vol. 23, No. 21, pp 1113-1115, 1987.
- [144] T. Takahashi, T. Imai and M. Aiki, "Time evolution of polarisation mode dispersion in 120 km installed optical submarine cable," *Electron. Lett.*, vol. 29, pp. 1605-1606, 1993.
- [145] B. W. Hakki, "Polarisation mode dispersion compensation by phase diversity detection," *Photon. Technol. Lett.*, vol. 9, pp. 121-123, 1997.

- [146] T. Ono, S. Yamazaki, H. Shimizu and K. Emura, "Polarization control method for suppressing polarization mode dispersion influence in optical transmission systems," *J. Lightwave Technol.*, vol. 12, pp. 891-898, 1994.
- [147] T. Takahashi, T. Imai and M. Aiki, "Automatic compensation techniques for timewise fluctuating polarisation mode dispersion in in-line amplifier systems," *Electron. Lett.*, vol. 30, pp. 348-349, 1994.
- [148] R. Ulrich, "Polarization stabilization on single-mode fiber," *Appl. Phys. Lett.*, vol. 35, pp. 840-842, 1979.
- [149] P. S. Hauge, "Survey of methods for the complete determination of a state of polarization," *SPIE*, vol. 88, Polarized Light, pp. 3-10, 1976.
- [150] R. Calvani, R. Caponi, F. Ciserino and G. Coppa, "Fiber birefringence measurements with an external stress method and heterodyne polarization detection," *J. Lightwave Technol.*, vol. LT-5, pp. 1176-1181, 1987.
- [151] F. P. Kapron, N. F. Borrelli and D. B. Keck, "Birefringence in dielectric optical waveguides," *J. Quantum Electron.*, vol. QE-8, pp. 222-225, 1972.
- [152] A. Papp and H. Harms, "Polarization optics of index-gradient optical waveguide fibers," *Appl. Opt.*, vol. 14, pp. 2406-2411, 1975.
- [153] A. J. Barlow, "Optical-fiber birefringence measurement using a photo-elastic modulator," *J. Lightwave Technol.*, vol. LT-3, pp. 135-145, 1985.
- [154] A. M. Smith, "Polarization and magneto-optic properties of single-mode optical fiber," *Appl. Opt.*, vol. 17, pp. 52-56, 1978.
- [155] M. Monerie and L. Jeunhomme, "Birefringence measurement in twisted single-mode fibres," *Electron. Lett.*, vol. 17, pp. 252-253, 1981.
- [156] L. Gleeson, N. Walker and E. S. R. Sikora, "Birefringence of twisted fibre package," *Electron. Lett.*, vol. 31, pp. 390-391, 1995.
- [157] K. Takada, J. Noda and R. Ulrich, "Precision measurement of modal birefringence of highly birefringent fibers by periodic lateral force," *Appl. Opt.*, vol. 24, pp. 4387-4391, 1985.
- [158] S. C. Rashleigh, "Measurement of fiber birefringence by wavelength scanning: effect of dispersion," *Opt. Lett.*, vol. 8, pp. 336-338, 1983.
- [159] K. Kikuchi and T. Okoshi, "Wavelength-sweeping technique for measuring the beat length of linearly birefringent optical fibers," *Opt. Lett.*, vol. 8, pp. 122-123, 1983.
- [160] C. S. Brown and F. T. Stone, "Birefringence measurements of single-mode fibers using the polarization shuttle pulse technique," *J. Lightwave Technol.*, vol. LT-4, pp. 30-32, 1986.

- [161] L. Thévenaz, J. P. Pellaux, N. Gisin and J. P. Von der Weid, "Birefringence measurements in fibers without polarizer," *J. Lightwave Technol.*, vol. 7, pp. 1207-1212, 1989.
- [162] P. Ledoux, J. Auge, L. Y. Boniort, P. Dupont, J. Godeau, J. M. Saugrain, J. C. Rosseau and Y. Mohanna, "Stress measurement of fibers and preforms," *J. Lightwave Technol.*, vol. 7, pp. 1270-1274, 1989.
- [163] T. Ernst, "A high sensitive wide dynamic range optical polarimeter for use in polarisation-mode dispersion measurement," *MSc report*, University of Essex, 1994.
- [164] *Newport Catalog*, 1993, see pp. B-45 for zero order wave plate specifications and pp. J-26 & J-32 for information on the motion controller and motorised rotary stage.
- [165] A. Stuart and J. K. Ord, "Advanced theory of statistics II," Chapter 19, *5th edition*, Edward Arnold Press, 1991.
- [166] A. Ambirajan and D. C. Look, "Optimum angles for a polarimeter: part I & II," *Opt. Eng.*, vol. 34, pp. 1651-1658, 1995.
- [167] S. Barnett, "Matrices methods and applications," Clarendon Press, Oxford, 1992.
- [168] M. Monerie and L. Jeunhomme, "Polarisation mode coupling in long single-mode fibres", *Opt. Quantum Electron.*, vol. 12, pp. 449-461, 1980.
- [169] D. N. Payne , A. J. Barlow and J. J. Ramskov-Hansen, "Development of low- and high- birefringence optical fibers," *IEEE J. Quantum Electron.*, vol. QE-18, pp. 477-488, 1982.
- [170] R.E. Schuh, J. G. Ellison, L.M. Gleeson, E. S. R. Sikora, A. S. Siddiqui, N. G. Walker, D. H. O. Bebbington, "Theoretical analysis and measurement of the effect of fibre twist on the polarisation OTDR of optical fibres," *OFC'96*, FA5, San Jose, 1996.
- [171] R.E. Schuh, J. G. Ellison, AS Siddiqui, D. H. O. Bebbington, "Polarisation OTDR measurements and theoretical analysis on fibres with twist and their implications for estimation of PMD," *Electron. Lett.* vol. 32, pp 387-388, 1996.
- [172] R. Schuh, X. Shan, A. S. Siddiqui and E. S. R. Sikora, "Measurement and analysis of PMD in spun fibres with different linear birefringence and spinning parameters," *4th OFMC*, NPL, Teddington, UK, 29th Sep.- 1st Oct. 1997.
- [173] M. Ashby, M. Fedoroff, D. Gallagher and K. Emig, "Cable and system PMD prediction," *Int. Wire & Cable Symposium Proceed.*, pp. 366-371, 1995.
- [174] F. Cocchini, A. Chiantore, G. Carones and A. Ginocchio, "Cabling effects on fiber PMD," *Int. Wire & Cable Symposium Proceed.*, pp. 13-17, 1996.

- [175] D. Boscher, J. C. Bizeul, J. P. Louboutin and C. Mauguén, "PMD measurements of various twisted strained and fully loose optical fibers in the cable," *Int. Wire & Cable Symposium Proceed.*, pp. 347-352, 1995.
- [176] A. F. Elrefaie, R. E. Wagner, R. E. Atlas and D. G. Daut, "Chromatic dispersion limitations in coherent lightwave transmission systems," *J. Lightwave Technol.*, vol. 6, pp. 704-709, 1988.
- [177] B. Wedding, "New method for optical transmission beyond dispersion limit," *Electron. Lett.*, vol. 28, pp. 1298-1300, 1992.
- [178] P. R. Morkel, V. Syngal, D. J. Butler and R. Newman, "PMD-induced BER penalties in optically-amplified IM/DD lightwave systems," *Electronics Letters*, vol. 30, pp. 806-807, 1994.
- [179] E. Iannone, F. Matera, A. Galiorassa, G. Gianello and M. Schiano, "Effect of polarisation dispersion on the performance of IM-DD communication systems," *Photon. Technol. Lett.*, vol. 5, pp. 1247-1249, 1993.
- [180] B. W. Hakki, "Polarisation mode dispersion compensation by phase diversity detection," *IEEE Photonics Tech. Lett.*, vol. 9, No. 1, pp. 121-123, 1997.
- [181] D322, "PMD values for cables with G.652 and G.653 fibres," *ITU-T, SG15/Q23* Geneva 6-17th Feb. 1995.
- [182] S. K. Nielsen, P. Thorsen, "PMD in optical networks," *COST 7th Working Groups Meeting*, Colchester UK, pp. 13-29, 1994.
- [183] J. V. Wright, "Ultra long distance optical communications," *Short course notes in: Advanced optical communications*, University of Essex, Department of Physics, 5-7 March, 1997.
- [184] J. Vobian and K. Mörl, "Aspect of PMD measurements," *J. Opt. Comm.*, vol. 18, pp. 82-92, 1997.
- [185] M. Artiglia, P. Morra and C. Satori, "Polarisation mode dispersion in terrestrial installed cables: Comparison of measurement methods," *OFMC'95, Tech. Programme.*, II. 6, Liege, Belgium, 1995.
- [186] K. Brising, "Polarisation mode dispersion field measurements - a survey of the Swedish national network," *Int. Wire & Cable Symposium Proceed.*, pp. 18-26, 1996.
- [187] J. Röhrig, "Fehlerortsbestimmungen mit dem Kathodenoszillographen (Location of faulty places by measuring with cathode ray oscillographs)," *Elektrotechnische Zeitschrift.*, Heft. 8, pp 241-242, 1931.
- [188] S. A. Newton, "Time domain reflectometry," *OFC'96, Tutorial WJ*, pp. 97-130, 1996.

- [189] P. Healey, "Instrumentation principles for optical time domain reflectometry," *J. Phys. E. Sci. Instrum.*, vol. 19, pp. 334-341, 1986.
- [190] M. Takeda and T. Horiguchi, "Advances in optical time-domain reflectometry," *J. Lightwave Technol.*, vol. LT-7, pp 1217-1224, 1989
- [191] L. Blank and D. Spirit, "OTDR performance enhancements through erbium fiber amplification," *Electron. Lett.*, vol. 25, pp 1693-1694, 1989.
- [192] P. Keeble, "Optical time domain reflectometry performance enhancement using erbium-doped fibre amplifiers," *SPIE Fiber optics reliability: Benign and adverse environments IV*. pp. 39-44, 1990.
- [193] Y. Koyamada, H. Nakamoto and N. Ohta, "High performance coherent OTDR enhanced with erbium doped fiber amplifiers," *J. Opt. Comm.* vol. 13, No. 4, pp. 127-133, 1992
- [194] A. H. Harthog, D. N. Payne and A. J. Conduit, "POTDR: Experimental results and application to loss and birefringence measurements in single-mode fibres," *Proc. 6th ECOC'80*, York (UK), pp. 472-475, 1980.
- [195] M. Nakazawa, T. Horiguchi, M. Tokuda and N. Uchida, "Measurement and analysis on polarisation properties of backward Rayleigh scattering for single-mode optical fibres," *IEEE J. Quantum Electron.*, QE-17, pp. 2326-34, 1981.
- [196] A. M. Vengsarkar and L. G. Cohen, "Polarization optical time domain reflectometry for statistical evaluation of polarization mode dispersion," *Electron. Lett.*, vol. 29, pp. 848-850, 1993.
- [197] N. Ross, "Birefringence measurement in optical fibres by polarization optical time domain reflectometry," *Appl. Opt.*, vol. 21, pp. 3489-59, 1982.
- [198] A. J. Rogers, "Polarization properties of monomode optical fibres: the use of POTDR to determine spatial distributions," *Proc. 1st Int. Conf. Fiber-Optic Rotation Sensors*, MIT, Mass, USA, Nov. 1981, Springer Verlag, vol. 32, 1982
- [199] G. H. Song and S. S. Choi, "Analysis of birefringence in single-mode fibers and theory for the backscattering measurement," *J. Opt. Soc. Am. A.*, vol. 2, pp. 167- 170, 1985.
- [200] E. Brinkmeyer, "Forward-backward transmission in birefringent single-mode fibers: interpretation of polarization-sensitive measurements", *Opt. Lett.*, vol. 6, pp 575-577, 1981.
- [201] A. J. Rogers, "Polarization optical time domain reflectometry: a technique for the measurement of field distribution," *Appl. Opt.* vol. 20, pp. 1060-1074, 1981.
- [202] A. J. Rogers, "Distributed optical fibre sensors for the measurement of pressure, strain and temperature," *Phys. Reports*, vol. 169, pp. 99-143, 1988.

- [203] D. G. Lubnau, "Polarization backscatter analysis of field distributions using fiber optics," *Appl. Opt.*, vol. 22, pp. 377-378, 1983.
- [204] A. J. Rogers, "Polarisation optics for monomode fibre sensors," *Proc. of the IEE*, vol. 132, Pt. J., pp. 303-308, 1985
- [205] J. N. Ross, "Measurement of magnetic field by polarisation optical time-domain reflectometry," *Electron. Lett.*, vol. 17, pp. 596-597, 1981.
- [206] Y. B. Kim and M. S. Choi, "Backscattering measurement of bending-induced birefringence in single mode fibres," *Electron. Lett.*, vol. 17, pp. 193-194, 1981.
- [207] J. Rogers, "Frequency-derived distributed optical fibre sensing: signal-frequency downshifting," *Electron. Lett.*, vol. 27, pp. 394-396, 1991.
- [208] M. Nakazawa, "Theory of backward Rayleigh scattering in polarization-maintaining single-mode fibers and its application to polarization optical time domain reflectometry," *J. Quantum Electron.*, vol. QW-19, pp 854-860, 1983.
- [209] M. Nakazawa, M. Tokuda and Y. Negishi, "Measurement of polarization mode coupling along a polarization-maintaining optical fibre using a backscattering technique," *Opt. Lett.*, vol. 8, pp. 546-548, 1983.
- [210] M. Nakazawa, N. Shibata, M. Tokuda and Y. Negishi, "Measurement of polarization mode couplings along polarization-maintaining single-mode optical fibers," *J. Opt. Soc. Am.*, vol. 1, pp. 285-292, 1984.
- [211] A. Tardy, M. Jurczyszyn, F. Bruyere and M. Hertz, "Fibre PMD analysis for optical-fibre cable using polarization OTDR," *OFC'95*, ThD2, 1995.
- [212] A. Galtarossa, G. Ginello and M. Schiano, "Comparison of polarization OTDR and PMD for stress analysis of an optical-fiber ribbon cable," *OFC'94*, ThK5, pp. 229-230, 1994.
- [213] E. Chausse, N. Gisin, C. Zimmer, "POTDR, depolarisation and detection of sections with large PMD", *Proc. 3rd OFMC'95*, VIII.3, 1995.
- [214] D. H. O. Bebbington, J. G. Ellison, R. E. Schuh, X. Shan, A. S. Siddiqui, S. D. Walker, "Fully Polarimetric Optical Time Domain Reflectometer with one meter Spatial Resolution," *OFC'97*, WL24, pp. 185-186, 1997.
- [215] D. H. O. Bebbington, J. G. Ellison, R. E. Schuh, X. Shan, A. S. Siddiqui, S. D. Walker, "A polarimetric optical time domain reflectometer," *Proceed. IOP conference on Applied Optics and Opto-Electronics*, Post deadline paper, PD 2, Reading, September 18, 1996.
- [216] E. Brinkmeyer, "Analysis of the backscattering method for single-mode optical fibers", *J. Opt. Soc. Am.*, vol. 70, pp. 1010-1012, 1980.

- [217] P. E. Lewis and J. P. Ward, "Vector analysis for engineers and scientists", *Addison-Wesley Publishers Ltd.*, pp. 304-312, 1989.
- [218] F. Cisternino, B. Costa, M. M. Rao and B. Sordo, "Tunable backscattering for single-mode optical fibers in 1.1-1.6- μm spectral region," *Journal of Lightwave Tech.*, vol. LT-4, No. 7, pp. 884-888, 1986.
- [219] A. Levanon, S. R. Friberg and Y. Fujii, "Solitons for optical time-domain reflectometry," *J. Opt. Soc. Am B*, vol. 13, No. 6, pp. 1179-1187, 1996.
- [220] J. B. Mac Chesney, "Material and process for preform fabrication -modified chemical vapor deposition and plasma chemical vapor deposition," *Proceed of the IEEE*, vol. 68, pp. 1181-1184, 1980.
- [221] P. C. Schultze, "Fabrication of optical waveguides by the outside vapor deposition process", *Proceed of the IEEE*, vol. 68, pp. 1187-1190, 1980.